

B.O.M. for PD-XXX XXX = Length in Centimeters


ITEM	QTY.	PART NO.	DESCRIPTION
1	XXX CM	-	12 AWG THHN 90 DEG C OR EQUIV - BLUE
2	XXX CM	-	12 AWG THHN 90 DEG C OR EQUIV - BROWN
6	2	802303-C06	ANDERSON 1330 CONNECTOR W/CONTACT-BLUE
7	2	802303-C09	ANDERSON 1330 CONNECTOR W/CONTACT-BROWN
10	(A)	010218-03	NYLON WIRE/CABLE TIE - 4 LG. (SEE NOTE 1)
11	2	802420-01	HEAT SHRINK, WHITE PRINTABLE (SEE NOTE 2)

(A) QTY = XXX / 15

ASSEMBLY NOTES:

- AFTER HARNESS IS WIRED, USE ITEM #10 TO TIE WRAP ITEMS #1 AND #2 TOGETHER EVENLY SPACED ALONG THE LENGTH OF CABLE ASSEMBLY.
- MARK TEXT OF PART NUMBER (PD-XXX WHERE XXX = LENGTH IN CM) AT APPROXIMATE POSITION SHOWN IN BLACK UPPER CASE GOTHIC STYLE CHARACTERS. CHARACTERS SHALL BE CLEARLY LEGIBLE AND SHARPLY DEFINED. MARKING MATERIAL SHALL BE PERMANENT, NON-NUTRIENT AND NON-CONDUCTIVE.
- PLACE LABEL APPROXIMATELY 1" FROM TERMINATION POINT TO BEGINNING OF LABEL EDGE.
- LABEL MUST BE A HEAT SHRINKABLE WIRE MARKER SLEEVE. HAND WRITTEN OR WRAP AROUND TYPE LABELS ARE NOT ACCEPTABLE.
- FOLLOW MANUFACTURERS INSTRUCTIONS FOR WIRE STRIP LENGTH AND RECOMMENDED TIGHTENING TORQUE ON ALL SCREW TERMINATIONS

PART NUMBER PD-XXX WHERE XXX=LENGTH IN CM



REV.	DATE	DESCRIPTION	✓

THE INFORMATION CONTAINED HEREIN IS CONFIDENTIAL, IS SUBMITTED IN CONFIDENCE, AND IS PROPRIETARY INFORMATION ONLY IN CONNECTION WITH SAID PERFORMANCE OF THE CONTRACT OF WHICH THIS DRAWING FORMS A PART, AND SHALL NOT, WITHOUT PULSEROLLER PRIOR WRITTEN APPROVAL, BE REPRODUCED OR IN ANY OTHER WAY USED IN WHOLE OR IN PART BY OTHERS.

DATE: 16-APR-2020
 DESIGNED BY: JPK
 CHECKED BY:
 SCALE: NONE
 SHEET: 1 OF 1

TITLE: POWER DISTRIBUTION HARNESS
 PART NUMBER PD-XXX
 FOR: CONVEYLINX ACCESSORIES
 PULSEROLLER STANDARDS
 DWG. NO.: PD-XXX
 REV:

